Product data sheet **Belts** · **Rolls**



KK532F





VSM STEARATE

Grain type	Aluminium oxide							
Bonding	Full-resin bonded							
Colour	White							
Backing	F-Cotton							
Flexibility	Very flexible							
Production width	1,050 mm							



Features



Comnosite

Non-ferrous

meta

Materials

Aluminium



Unalloyed

High-performance aluminium oxide abrasive on a cotton backing for universal use. KK532F is characterised by a long service life and good adaptability. The additional grinding-inducing STEARATE coat reduces adhesion of the material to the grain.

Grit sizes¹⁾:

								Р	Р	Р	Р	Р	Р	Р		Р		Р		Р			
16	20	24	30	36	40	50	60	80	100	120	150	180	220	240	280	320	360	400	500	600	800	1000	1200

Benefits

- > Good adaption to the workpiece
- > The STEARATE additional layer considerably reduces chip adhesion and therefore the clogging of abrasive
- > Reduced adhesive of swarf extends the service life, resulting in fewer tool changes and therefore increased productivity
- > High wear resistance
- > For multifaceted grinding tasks
- > Flexible and light cotton backing

VSM · Vereinigte Schmirgelund Maschinen-Fabriken AG

Siegmundstraße 17 · 30165 Hannover · Germany T+49 511 3526 0 · F +49 511 3521 315 sales@vsmabrasives.com · www.vsmabrasives.com



Please scan this QR code for detailed productinformation

